



F.no- IIITD/Bldg Proj/Ph-II/394/2024

Dated: 13.11.2025

NOTICE INVITING QUOTATION (NIQ-36/2025)

Sealed item rate quotations are invited in **two** envelop system for the following work on behalf of the Registrar IIIT Delhi from Eligible Contractors for **NIQ for Providing and Fixing of Roller Blind on B-wing 3rd Floor (Math Department) of R&D block & 3rd floor of Dining Block at IIITD Campus** so as to reach the office of the undersigned upto 3PM on **20th November 2025** to be opened on the same day at **3:30 PM**, in the office of the PE&EO, A- 203 2nd Floor of Academic Block, IIIT-D Campus, Okhla Phase-III New Delhi-110020 in presence of the intending bidders who so wish to attend.

Earnest Money Deposit: Rs 3400/- (Rupees Three Thousand Five Hundred only) is to be submitted with document as earnest money in favour of **“IIIT Delhi Collections”** (except for those who are exempted by MSME & NSIC certifications (with Proof)) failing shall be treated as invalid and shall be liable for rejection. This will be enclosed in **Envelope- I**.

1. The works shall be carried out as per the relevant CPWD / BIS Standards and Terms and conditions, Specifications, BOQ and areas/locations as directed complete.
2. **Time Allowed:** 30 days from issue of work order.
3. Schedule of quantity: As per enclosed BOQ.
4. Clause 12 of GCC CPWD is applicable for EI/SI.
5. Contractor must visit site before quoting and fully satisfy himself of the site conditions. No Compensation on account of any site difficulties will be entertained, at a later date, after award of the work.
6. Contractor must possess valid GST, PAN and TIN no.
7. No T&P shall be issued to the Contractor. The contractor shall be provided with electricity and water at one point, he shall make his own arrangements for further distribution of electricity, water supply and all other labour, tools, plant and equipment etc as required for the works complete. Any damage done to existing walls /ceiling /floors /electrical /fire alarm/ fighting/plumbing equipment /building during execution shall be on the part of the Contractor.
8. **Eligibility Criteria:** The agencies must have satisfactory executed Blind works in Govt Depts/PSU/Reputed Pvt sector /MNCs a three works each of value of Rs 0.68 Lac or two works each of value 1.01 Lac or one work of value 1.35 Lac during last 5 years to submit the experience certificates/work orders for the works and registration certificates with Govt. Depts. if any. The applications not supported with requisite experience certificates shall not be entertained.



9. The priced bill of quantities, all duly signed by the authorized signatory of the firms. This will be enclosed in **Envelope- II**.
10. Payment shall be made as per actual quantities of executed works against RA/Final bill at all locations as directed.
11. Defect Liability period 12 months from date of completion.
12. Security Deposit / Retention money shall be Two and Half percent (2.5%) of the value of executed works and will be deducted from each and every payment made to the contractor against running account bill submitted for the work done at site. retention money will be released with Employer until the Defects Liability period is successfully over.
13. Conditional offers will not be accepted. The offer shall remain valid for 60 days. The rates shall remain firm for a period of one year from date of award. The work order may be extended to cover additional areas at same rates as per institute requirements. No variation in rates shall be applicable.
14. Contractor should depute a qualified supervisor dedicated for this work, who will monitor and coordinate work from contractor's side and interact with the IIITD Engineers, responsible for supervision of work, on regular basis.
15. Rates to quoted are inclusive of all taxes, duties, cartage, loading unloading and shifting to location as called for
16. Contractor will take due permission for entry of all his workers in IIITD. No unauthorized person will be allowed to work inside.
17. During execution of work, Engineer may make minor changes in the scope of work as per site conditions or other reasons. Contractor will have no extra claim in his rates for the same.
18. All are supposed to use identified utilities of the Institute only.
19. Clarification/Queries, if any, can Be addressed to- Email ID: admin-project@iiitd.ac.in in phone no 01126907563/564/565, 011- 71985363/ 9773793610
20. IIIT-D reserves the right to accept or reject any tender in part or whole without assigning any reasons thereof.
21. Contractor shall visit the site before quoting.

**BOQ for Roller Blind at different location at IIITD Campus**

Item no.	Description of Items	Unit	Quantity	Rate	Amount
1	Providing & Fixing of classic system Sunscreen fabric Roller blinds which should be made up of 30% Polyester and 70% PVC it should have Environmental Standards : HJ/T307-2006, OEKO-TEX Standard 100 Class ZV Green Guard, Ecospecifier. It should be 3% openness factor. The fabric should be 0.65mm thick ($\pm 5\%$), Flame retardant as per British Standard BS 5867 (1980 Part 2A), F1 & M1 and it should have a UV Screen: Approx 95%-97%, Fabric weight 380g/sqmtr ($\pm 5\%$) , Light Fastness ≥ 5. Can be installed (a) On Face (b) Ceiling Mount (c) On Frame (d) in Recess. The Fixing Brackets are made by steel with powder coating to give greater finish. Brackets shall be accommodating overhead or side mounting with clutch assembly on either end of the blind. The ROLLER TUBE shall be of extruded by non rusting Aluminum alloy with 1.25 mm thickness, with anodized for long life. Available in 32-40mm dia metre for small and big blinds respectively. Aluminium bottom bar with powder coating: 55 microns or anodizing 10 microns. 5 colour option available. Wall thickness: 1mm. Width 15mm, Height 30mm, Weight: 300gm /rmtr (+5%). for a perfect fall of fabric to avoid warpage / floating. Installation to be insert type with end caps to give a neat look. Operating Chain: #10 plastic/steel ball chain (or as per manufacturer's standard) adoptable to the clutch pitch for smooth, quiet lifting & lowering of blind. The blind can be stop in desire position with help of stop lock used for raising or lowering action of the shades. The fixing arrangements as per approved make manufacturer specification all complete as per direction of Engineer-in-charge. (Area shall measured from bracket to bracket and from top to bottom). Note- This item include all necessary fitting and accessories and finished with all respect. Approved Make :Hunter Douglas /D'Décor/Mac-Décor/Vista	Sqm	150		
	Total Amount				
	<u>GST@12%</u>				
	Total Amount with GST				

Note: All rate to be inclusive cost of Transportation, Labour, Materials etc. as required for satisfactory completion of work.

In words (Rs)

(_____)